Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	(inactivity with (end adj user$1 adj configur$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 10:39
L3	16	(inactivity with (user$1 adj configur$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:02
L4	180	726/11.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:07
L5	298	726/3.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:26
L6	1104	726/4.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:26
L7	236	726/6.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:26
S2	17	"6631436".pn. "6631120".pn. or "6614781".pn. or "6594695".pn. or "6636505".pn. or "6584502". pn. or "6560222".pn. or "6559769".pn. or "6553489".pn. or "6526581".pn. or "6510152". pn. or "6498791".pn. or "6477579".pn. or "6445682".pn. or "6389464".pn. or "6351452". pn. or "6272127".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 09:25

S3	17	"6631436".pn. "6631120".pn. or "6614781".pn. or "6594695".pn. or "6636505".pn. or "6584502". pn. or "6560222".pn. or "6559769".pn. or "6553489".pn. or "6526581".pn. or "6510152". pn. or "6498791".pn. or "6477579".pn. or "6445682".pn. or "6389464".pn. or "6351452". pn. or "6272127".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 09:25
S4	0	S3 and (auto adj sensing)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 09:26
S5	2	S3 and (activity with detect$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 09:27
S6	14	S3 and (sens$3 or detect$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:01
S7	1967	(DSL) and (authenticat$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:02
S8	6	S3 and S7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:26
S9	0	Ethernet adj (autosens$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:17
S10	0	Ethernet adj (auto$1sens$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:17
S11	44	Ethernet same (auto$1sens$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:17
S12	28	Ethernet with (auto$1sens$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:25
S13	2	Ethernet adj2 (auto$1sens$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:18

S14	1105	(ethernet) and (in$1activity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:27
S15	501	S14 and idle	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:27
S16	66	S14 and (idle adj time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 10:27
S17	1105	(ethernet) and (in$1activity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:01
S18	66	S17 and (idle adj time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:10
S19	454	router and (user with idle)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:15
S20	14	router same(user with idle)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:11
S21	65	router and (user with idle) and (block$3 adj (data or traffic))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:16
S22	6	router and (user with idle) and (blocking adj (data or traffic))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:19
S23	0	router same (user with idle) and (blocking adj (data or traffic))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:19
S24	0	router same ((user near3 idle) and (blocking adj (data or traffic)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:20
S25	1	router same ((idle) and (blocking adj (data or traffic)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:21

S26	0	router same ((idle) same (blocking adj (data or traffic)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:22
S27	0	router same (blocking adj (data or traffic)) same (idle)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:22
S28	0	router same (blocking adj (data or traffic)) same (idle or inactivity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:24
S29	13	router same (blocking adj (data or traffic))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:28
S30	30	router same ((blocking or stop$3) adj (data or traffic))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:29
S31	17	S30 not S29	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 12:29
S32	0	(ethernet near3 inactivity) same (blocking or relea$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 13:05
S33	0	(ethernet near3 inactivity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 13:05
S34	0	(ethernet near3 in$1activity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 13:06
S35	14	(ethernet with in$1activity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 13:06
.S36	14	(ethernet with in$1activity)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 14:43
S37	11	S36 and programmable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 14:44

S38	0	S36 same programmable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 14:44
S39	8	S36 same configur$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 14:45